




# New and Upcoming Satellite Capabilities for Air Quality Monitoring

Melanie Follette-Cook, Pawan Gupta, and Bryan Duncan

NASA Remote Sensing for Air Quality Applications, March 20-23, 2018, Jakarta, Indonesia



# VIIRS

# Visible Infrared Imaging Radiometer (VIIRS)


A multi-wavelength imager like MODIS with <u>similar</u> wavelength bands VIIRS is a continuous mission until 2038 - another VIIRS launched on JPSS-1in Nov 2017

	MODIS	VIIRS
Orbit Altitude	690 km	824 km
<b>Equator Crossing Time</b>	13:30 LT	13:30 LT
Granule Size	5 min	86 sec
Swath	2,330 km	3,000 km
Pixel Nadir	0.5 km	0.75 km
Pixel Edge	2 km	1.5 km

#### **VIIRS and MODIS**


**VIIRS** 


Nov 24, 2011



MODIS (Aqua)

Nov 24, 2011







GOES-East & HIMAWARI-8

# Breaking the Temporal Barrier

The beginning of a new era in satellite remote sensing of air quality







GOES-16

METEOSAT-8

HIMAWARI-9

# HIMAWARI-8 Loop: Fire Smoke over Indonesia





Image: CIMSS Satellite Blog: http://cimss.ssec.wisc.edu/goes/blog/archives/19897



# TROPOMI

# **TROPOspheric Monitoring Instrument (TROPOMI)**

#### TROPOMI Highlights


- Launched on October 13
   2017 by the European Space
   Agency
- Global Coverage
- Sub-urban spatial resolution (3.5 x 7 km²)
- 1x/day: NO<sub>2</sub>, ozone (0-2 km vertical), aerosol, clouds, formaldehyde, glyoxal, SO<sub>2</sub>, CO, methane






## TROPOMI: Impact of Resolution

OMI NO<sub>2</sub> (Real Data)



TROPOMI data courtesy of ESA


TROPOMI NO<sub>2</sub> (Real Data)



Spatial Resolution =  $3.5 \times 7.0 \text{ km}^2$ 




#### **TROPOMI: Plume Detection**




## **TROPOMI: Too Cloudy**

#### TROPOMI NO<sub>2</sub> (Real Data)



# **TROPOMI: Mount Agung Eruption**


TROPOMI SO<sub>2</sub> (Real Data)




TROPOMI data courtesy of ESA

# TROPOMI: California Fires - December 12, 2017

**VIIRS** 




#### TROPOMI (real data)



TROPOMI: https://www.esa.int/spaceinimages/Images/2017/12/Tracking\_aerosols\_from\_California\_s\_fires\_






Future Satellite Capabilities for Air Quality Applications

# Global Pollution Monitoring Constellation (2020s)

- Improved emissions, at common confidence levels, over industrialized Northern Hemisphere
- Improved air quality forecasts and assimilation systems
- Improved assessment, e.g., observations to support United Nations Convention on Long Range Transboundary Air Pollution



Image, courtesy of Jhoon Kim, Andreas Richter; text courtesy of K.Chance



# **GEMS: Geostationary Environment Monitoring Spectrometer**

- Geostationary over East Asia, not including Java, southern Borneo, southern Sumatra
- High Temporal Resolution
  - 1 hr
- High Spatial Resolution
  - $-5.0 \times 15.0 \text{ km}^2$
- Spectral Range
  - 300-500 nm
- Data Products:
  - nitrogen dioxide, sulfur dioxide, formaldehyde, ozone and other aerosols
- Expected Launch: 2019



http://gems1.yonsei.ac.kr/

#### Sentinel-4

- Geostationary over Europe and North Africa
- High Temporal Resolution
  - -1 hr
- High Spatial Resolution
  - 8 x 8 km² over Europe
- Spectral Range
  - ultraviolet (305-400 nm), visible (400-500 nm) and near-infrared (750-775 nm)
- Data Products:
  - nitrogen dioxide, sulfur dioxide, formaldehyde, ozone and aerosol optical depth
- Expected Launch: 2021





Image credit: **ESA** 

# **TEMPO: Tropospheric Emissions: Monitoring of Air Pollution**


- Geostationary over North America
- High Temporal Resolution
  - 1 hr
- High Spatial Resolution
  - $-2.2 \times 4.7 \text{ km}^2$
- Spectral Range
  - 290-740 nm
- Data Products:
  - O<sub>3</sub>, NO<sub>2</sub>, C<sub>2</sub>H<sub>2</sub>O<sub>2</sub>, aerosols, cloud parameters, & UVB radiation
- Expected Launch: 2021






# **TEMPO: Tropospheric Emissions: Monitoring of Air Pollution**


- Geostationary over North America
- High Temporal Resolution
  - 1 hr
- High Spatial Resolution
  - $-2.2 \times 4.7 \text{ km}^2$
- Spectral Range
  - 290-740 nm
- Data Products:
  - O<sub>3</sub>, NO<sub>2</sub>, C<sub>2</sub>H<sub>2</sub>O<sub>2</sub>, aerosols, cloud parameters, & UVB radiation
- Expected Launch: 2021



# Multi-Angle Imager for Aerosols (MAIA)

- NASA's first health-based mission
- Mission Goal: Assess linkages between different airborne particulate matter types and adverse birth outcomes, cardiovascular and respiratory disease, and premature deaths
- Sun synchronous orbit
- Spatial Resolution: 230 m
- Large Swath Width: 600 km
- Expected Launch: 2021







# Multi-Angle Imager for Aerosols (MAIA)

- MAIA measures the radiance and polarization of sunlight scattered by atmospheric aerosols from which the abundance and characteristics of ground-level particulate matter (PM) are derived
- MAIA has the capability to point at a target (i.e., a city) and look at the aerosols from multiple angles to characterize the sizes, compositions, and quantities of particulate matter in air pollution
- MAIA has a MISR-heritage, but can also type aerosols

